Graphical One-Sided Markets

Sagar Massand and Sunil Simon Department of CSE, IIT Kanpur, Kanpur, India {smassand, simon}@cse.iitk.ac.in,

Abstract

We study the problem of allocating indivisible objects to a set of rational agents where each agent's final utility depends on the intrinsic valuation of the allocated item as well as the allocation within the agent's local neighbourhood. We specify agents' local neighbourhood in terms of a weighted graph. This extends the model of one-sided markets to incorporate neighbourhood externalities. We consider the solution concept of stability and show that, unlike in the case of one-sided markets, stable allocations may not always exist. When the underlying local neighbourhood graph is symmetric, a 2stable allocation is guaranteed to exist and any decentralised mechanism where pairs of rational players agree to exchange objects terminates in such an allocation. We show that computing a 2-stable allocation is PLS-complete and further identify subclasses which are tractable. In the case of asymmetric neighbourhood structures, we show that it is NP-complete to check if a 2-stable allocation exists. We then identify structural restrictions where stable allocations always exist and can be computed efficiently. Finally, we study the notion of envyfreeness in this framework.

1 Introduction

Allocation of indivisible items to rational agents is a central problem which has been studied in economics and computer science. The problem arises in a wide range of applications: including resource allocation in distributed systems, spectrum allocation, kidney exchange programs and so on. Stability and fairness are two influential concepts which are studied in the context of allocation problems. Various notions of fairness such as proportionality, envy-freeness and maximin share guarantee [Budish, 2011] have been studied in the general setting of resource allocation [Bouveret *et al.*, 2016; Beynier *et al.*, 2018]. On the other hand, stability as a solution concept has received greater attention in the context of matchings [Gusfield and Irvin, 1989; Roth and Vate, 1990].

In this paper, we introduce a model which is closely aligned to the one-sided market, also known as the Shapley-Scarf housing market [Shapley and Scarf, 1974]. This is a fundamental and well studied framework used to model an exchange economy. It consists of a set of rational agents each owning a house along with a strict preference ordering over all the houses present in the market. A stable allocation corresponds to an assignment of houses to agents such that no coalition of agents can improve by internal redistribution. An important question is whether stable allocations always exist in such markets and whether a finite sequence of exchanges can converge to such an allocation. It was shown that using a simple and efficient procedure often termed as Gale's Top Trading Cycle, one can always find an allocation that is stable. The allocation constructed in this manner also satisfies various desirable properties like it being strategy-proof and Pareto optimal.

In one-sided markets, agents' preferences are typically assumed to be strict and are not dependent on the allocation received by other agents. However, in many practical situations, an agent's utility for an allocation is dependent on both their intrinsic valuation for the allocated item as well as the items which are allocated to the agents within their neighbourhood. We consider a framework to model the allocation problem where agents have cardinal utilities associated with each allocation. The agents are not allowed to make monetary payments to each other, thus the utilities are nontransferable. For each agent *i*, the final utility depends on two components: the intrinsic value associated with the item assigned to agent i and the items assigned to the agents within the neighbourhood of agent *i*. We model the agents' neighbourhood structure as a directed weighted graph in which the nodes correspond to agents. For each agent, the incoming edges along with the associated weights denote the quantitative "influence" that neighbours have on the agent. In our model, this influence is also item specific. That is, each item a is associated with a subset of compatible items a_{λ} . The externality for an agent who is allocated an item a depends on the influence from agents in its neighbourhood who are assigned items from a_{λ} .

Such a framework naturally captures various instances of allocation problems that arise in practice. For instance, consider a housing allocation problem, where agents have some intrinsic valuation over the houses. In addition, suppose some of these agents are friends and would prefer to reside in houses near each other. In such a scenario, the final utility associated with an allocation depends on both the valuation of the house as well as the owners of the neighbouring houses. Similarly, consider an organization which needs to decide project allocation for its incoming employees, with each project being mentored by senior employees. An employee's preference for a project would rely on both, the nature of the project and the mentors assigned for the project.

Certain structural aspects are explicated in the model and these choices are influenced by the various frameworks often used to analyse strategic interaction. For instance, graphical dependency structures are known to play an important role in the analysis of strategic interaction in terms of the existence of stable outcomes and their computational properties. In game theory, such structures are studied in graphical games [Kearns et al., 2001]. While we do incorporate neighbourhood externalities in our model, these are required to satisfy a pairwise seperability constraint which specifies the influence of each agent in the neighbourhood. The eventual externality is additive over these pairwise values. In game theory, a similar constraint on the utility functions give rise to a well studied class of games called polymatrix games [Janovskaya, 1968]. Imposing pairwise separability is a natural restriction which typically helps achieve better computational properties and also helps in showing stronger lower bounds [Cai and Daskalakis, 2011; Deligkas et al., 2014; Rahn and Schäfer, 2015].

Markets form a fundamental model of exchange economy and allocations of indivisible items in such markets have been studied extensively both in terms of stability and fairness of allocation. In the context of two sided markets, the influence of neighbourhood relations has been studied in [Arcaute and Vassilvitskii, 2009; Hoefer, 2013].[Hoefer, 2013] proposes a framework where players are modelled as nodes in a social network and explore possible matches only among the players in the current neighbourhood. [Arcaute and Vassilvitskii, 2009] models a job market as a 2-sided matching market and studies the importance of social contacts in terms of stable allocation. [Anshelevich et al., 2013] studies stable matchings in the presence of social contexts where players are positioned in an underlying weighted directed graph and the weights on the edges denote the rewards for being matched to each agent. Each agent's final utility for a matching depends on both the agent's individual reward as well as the rewards received by the neighbours under the matching.

For one-sided markets, [Bouveret et al., 2017] introduces a framework that models constraints based on the dependency relation between items with additive utility functions. The dependency is encoded as a graph on the item set and an allocation is required to satisfy the constraint that the items allocated to each agent forms a sub-graph of the item graph. The paper looks at additive utility functions and investigates the complexity of finding optimal allocations in terms of fairness, envy-freeness and maximin share guarantee. [Lonc and Truszczynski, 2018] further studies the computational properties of this model for maximin share allocations in the specific case when the item graph forms a cycle. Approximations of envy-freeness in terms of EF-1 is considered in [Bilò et al., 2018]. [Chevaleyre et al., 2017] studies convergence properties for fair allocation of dynamics involving exchange of items by rational agents in the presence of a social network structure on the players. In this line of work listed above, fairness is the main solution concept that is studied. In our model, rather than viewing the social network structure as imposing restrictions on the set of feasible allocations, we interpret the neighbourhood structure as specifying agents' externalities which eventually contributes towards the final utility. In such a setting, the dynamics involving exchange of items are quite natural and therefore, stability of an allocation is an important consideration that we study.

Decentralised swap dynamics where pairs of agents exchange items or services and the optimality of allocations is studied in [Damamme *et al.*, 2015]. [Gourves *et al.*, 2017] examines the influence of a social network structure on players in terms of these exchanges and optimal allocations. [Sun *et al.*, 2015; Fujita *et al.*, 2015] look at unrestricted exchange dynamics in the context of lexicographic preference ordering, with [Sun *et al.*, 2015] focussing on player preferences which have a common structure, implying an asymmetry in the objects. As part of our work, we consider such swap dynamics in the context of a neighbourhood structure which influences a player's utility.

The presence of externalities has been studied in the literature, mainly in the context of fair and efficient allocations. [Branzei *et al.*, 2013] studies the problem of fair division of divisible heterogeneous resources in the presence of externalities; where the agent's utility depends on the allocation to others. A recent paper [Ghodsi *et al.*, 2018] considers a model similar to the one we study in which they analyse fair allocation in terms of the maximin share guarantee. [Lesca and Todo, 2018] incorporates a restricted notion of externality in the context of a service exchange model and analyses the complexity of computing efficient allocation.

2 The Model

We introduce the resource allocation problem that we study in this paper which we call the graphical matching problem. Let $N = \{1, 2, ..., n\}$ be a finite set of agents (or players) and A be a finite set of items such that |N| = |A|. The local neighbourhood structure for the set of agents, referred to as the player graph is given by a weighted directed graph $G = (N, \tau, w)$ where $\tau \subseteq N \times N$ and w is a function that associates with each edge $(i, j) \in \tau$, a weight $w_{i,j} \in \mathbb{R}$. We say that the player graph G is symmetric if for each pair of players $i, j, (i, j) \in \tau$ implies $(j, i) \in \tau$ and $w_{i,j} = w_{j,i}$. We say that the player graph G is unweighted if for all $(i, j) \in \tau$, $w_{i,j} = 1$.

The dependency structure associated with the items, also referred to as the *item graph*, is specified by an undirected graph $H = (A, \lambda)$ where $\lambda \subseteq A \times A$. We assume that both G and H do not have self loops. For a player $i \in N$, let $i_{\tau} = \{j \mid (j, i) \in \tau\}$ denote the set of all neighbours of i in G. For an item $a \in A$, let $a_{\lambda} = \{b \mid (a, b) \in \lambda\}$ denote the set of all items connected to a according to the dependence structure H.

Each player has a valuation function $v_i : A \to \mathbb{R}_{\geq 0}$ that specifies the initial utility that the player associates with each item. An allocation $\pi : N \to A$ is a bijection that assigns items to players. In other words, an allocation π assigns exactly one item to each player. Let Π denote the set of all allocations. For a player $i \in N$ and an allocation $\pi \in \Pi$, let $N(i,\pi) = \{j \in N \mid \pi(j) \in (\pi(i))_{\lambda}\}$. For $i, j \in N$, we say that i is connected to j in π if $j \in N(i,\pi)$. Let $d_i(\pi) = N(i,\pi) \cap i_{\tau}$. The *utility* of player *i* for allocation π is then given by: $u_i(\pi) = v_i(\pi(i)) + r_i(\pi)$ where $r_i(\pi) = \sum_{j \in d_i(\pi)} w_{j,i}$. In other words, the utility of player i on an allocation π depends on his valuation for $\pi(i)$ as well as the agents that are assigned items in the local neighbourhood of $\pi(i)$ $(N(i,\pi))$. To simplify notation, we often use $v_i(\pi)$ to denote $v_i(\pi(i))$. The social welfare for an allocation π is defined as $SW(\pi) = \sum_{i \in N} u_i(\pi)$. We say that the graphical matching problem has uniform valuation if for all $i \in N$ and $a \in A$, $v_i(a) = c$ for some constant c. In this case, the utilities of players are determined solely by their local neighbourhood structure. An instance of the graphical matching problem is specified by the tuple $M = (G, H, (v_i)_{i \in N})$ where $G = (N, \tau, w)$ and $H = (A, \lambda)$. We say that $M = (G, H, (v_i)_{i \in N})$ has symmetric neighbourhood if G is symmetric. M is unweighted if Gis unweighted.

Stability in an allocation captures the property that players do not have any incentive to exchange goods and deviate to a new allocation. Given an allocation π , we call a pair of players $i, j \in N$ to be a blocking pair in π , if there exists another allocation π' where $\pi'(i) = \pi(j), \pi'(j) = \pi(i)$ and $\pi'(k) = \pi(k)$ for all $k \in N - \{i, j\}$ such that $u_i(\pi) < u_i(\pi')$ and $u_j(\pi) < u_j(\pi')$. In other words, the players i, j have an incentive to deviate from the current allocation by exchanging their items. We say an allocation π is 2-stable if there is no blocking pair in π .

Given an allocation π along with a blocking pair (i, j), we say that π' is a *resolution* of the blocking pair if $\pi'(i) = \pi(j)$ and $\pi'(j) = \pi(i)$. We denote this by $\pi \to_{i,j} \pi'$. An *improvement path* is a maximal sequence of allocations $\pi^0 \pi^1 \pi^2 \dots$ such that for all $k \ge 1, \pi^{k-1} \to_{i,j} \pi^k$ for some pair of players $i, j \in N$. It is easy to observe that the existence of a finite improvement path implies the existence of a 2-stable allocation.

For an allocation π , we call $X \subseteq N$ a blocking coalition, if there exists π' and a bijection $\mu : X \to X$ such that for all $i \in X, \pi'(i) \neq \pi(i), \pi'(i) = \pi(\mu(i))$ and $u_i(\pi') > u_i(\pi)$. We say an allocation π is *core stable* if there is no blocking coalition in π .

Example 1. Let the set of players $N = \{1, \ldots, 6\}$ and $A = \{A, B, C, D, E, F\}$ with $v_i(a) = 0$ for all $i \in N$ and $a \in A$. Let $G = (N, \tau, w)$ be defined as follows: $\tau = \{(1, 2), (2, 3), (3, 1), (4, 1), (5, 2), (6, 3)\}$ and $w_{i,j} = 1$ for all $(i, j) \in \tau$. Let the item graph be the structure given in Figure 1. Consider the allocation π where $\pi(1) = A, \pi(2) = B, \pi(3) = C$ and $\pi(4) = D, \pi(5) = E, \pi(6) = F$, then $u_1(\pi) = u_2(\pi) = u_3(\pi) = 1$ and $u_4(\pi) = u_5(\pi) = u_6(\pi) = 0$. Now suppose the pair (1, 4) exchanges items and let π' be the resulting allocation. That is, $\pi'(4) = A$ and $\pi'(1) = D$. Then, $u_1(\pi') = 0$.

The classical *one-sided matching market* can be viewed as a special case of the model given above. Consider an instance of the one-sided market consisting of two finite sets X and Y



Figure 1: An item graph

where |X| = |Y|. Each $x \in X$ has a valuation function $z_x : Y \to \mathbb{R}$ which specifies the preference ordering over outcomes in Y. An allocation π is a bijection $\pi : X \to Y$. The notion of a 2-stable and core-stable allocation remains the same as defined earlier; we view the valuation function z_x as specifying the final utility of player $x \in X$. Given an instance M of a one-sided market, we can construct an instance M' of the graphical matching problem such that the set of stable allocations in M precisely constitutes the set of stable allocations in M'. We take N = X, A = Y and $v_i(\pi(i)) = z_i(\pi(i))$ with the player graph $G = (N, \tau, w)$ where $\tau = \emptyset$.

In one-sided markets, a 2-stable allocation always exists and it can be computed using the Top Trading Cycle procedure. On the other hand, the presence of neighbourhood externalities results in dynamics that is more complex and significantly different in terms of players' behavioural aspects. The example given below shows that in the graphical matching problem, a 2-stable outcome need not always exist even in the simple case when the instance has uniform valuation and when the underlying neighbourhood structure is unweighted.

Example 2. Let the set of players $N = \{1, \ldots, 6\}$ and $A = \{A, B, C, D, E, F\}$. Suppose the player graph $G = (N, \tau, w)$ forms a cycle on N consisting of the edges $(6, 1) \in \tau$ and $(i, i + 1) \in \tau$ for all $i : 1 \le i \le 5$. For every edge $(i, j) \in \tau$, let $w_{i,j} = c$ for some positive constant c. We also assume uniform valuation $v_i(a) = 0$ for all $i \in N$ and $a \in A$. Let the item graph be the structure given in Figure 1. Since the item graph consists of two 3-cliques, it is sufficient to divide players into groups of 3, assign them to any of the 3-cliques. It can be verified that this instance does not have a 2-stable allocation.

3 Stability in Symmetric Neighbourhood

Given Example 2, a natural question is to identify restricted classes of the graphical matching problem where stable outcomes are guaranteed to exist. We show that when the underlying player graph is symmetric, a 2-stable outcome always exists. In general, it is PLS-hard to compute such a stable allocation. We also identify restrictions under which stable allocations can be computed efficiently.

Theorem 1. Every improvement path in a symmetric graphical matching problem is finite. Thus, a 2-stable allocation always exists.

Proof sketch. We can argue that the following function acts as a potential function. $\phi(\pi) = \sum_{i \in N} (v_i(\pi) + u_i(\pi))$. \Box

Corollary 1. In a symmetric graphical matching problem with uniform valuation where the underlying player graph is unweighted, we can compute a 2-stable allocation in polynomial time.

Proof sketch. Suppose $v_i(a) = c$ for all $i \in N$ and $a \in A$. Then, ϕ is bounded above by $2nc + 2|\tau|$ and below by 2nc; in each resolution step the value increases by at least 2. \Box

If we consider the player graph to have weighted edges, then computing a 2-stable outcome is PLS-complete already for the symmetric graphical matching problem with uniform valuation and non-negative edge weights.

Theorem 2. Finding a 2-stable allocation in a symmetric graphical matching problem with uniform valuation in which the edge weights in the underlying player graph are nonnegative is PLS-complete.

Proof sketch. Without loss of generality we assume that $v_i(a) = 0$ for all $i \in N$ and $a \in A$. The potential function defined in the proof of Theorem 1 essentially reduces to the social welfare, i.e., $\phi(\pi) = \sum_{i \in N} u_i(\pi) = SW(\pi)$. It can be verified that computing a 2-stable allocation is in PLS. To show PLS-hardness, we give a *tight reduction* from the max-cut problem with FLIP neighbourhood [Schäffer and Yannakakis, 1991].

Let $Q = (V, E, \{z_e\}_{e \in E})$ be an instance of the max-cut problem where V is the set of vertices, $E \subseteq V \times V$ is the set of edges and $\{z_e\}_{e \in E}$ is the set of non-negative edge weights. We construct an instance of the symmetric graphical matching problem in which the underlying player graph has non-negative edge weights as follows. Let the player graph $G = (N, \tau)$, where $N = \{v_{blue} \mid v \in V\} \cup \{v_{red} \mid v \in V\}$. That is, for every vertex $v \in V$, there are two vertices v_{blue} and v_{red} in N. Thus |N| = 2 * |V|. For each edge $(u,v) \in E$ we add two edges in τ : $(u_{blue}, v_{blue}) \in \tau$ and $(u_{red}, v_{red}) \in \tau$ with $w_{u_{blue}, v_{blue}} = w_{u_{red}, v_{red}} = z_{(u,v)}$. Let $w_{max} = |N|^2 * (\max_{e \in E} z_e - \min_{e \in E} z_e).$ For every $v \in V$, we also add the edge $(v_{\textit{blue}}, v_{\textit{red}}) \in \tau$ with $w_{v_{\textit{blue}}, v_{\textit{red}}}$ = w_{max} . The item graph is the complete bipartite graph H = (A, λ) where each partition consists of |V| vertices. In other words, let the two partitions be A_1 and A_2 , with vertices $A_1(1), A_1(2), \ldots, A_1(|V|)$ and $A_2(1), A_2(2), \ldots, A_2(|V|)$. For an arbitrary cut $(V_1, \overline{V_1})$, we can construct an allocation π such that $SW(\pi) = 4 * cut Weight(V_1, \overline{V_1}) + 2|V| * w_{max}$, that proves the result. \square

Since Theorem 2 gives a tight PLS reduction from the maxcut problem, we have the following corollary.

Corollary 2. The standard local search algorithm takes exponential time in the worst case for the symmetric graphical matching problem.

The above result shows that in symmetric graphical matching problems with uniform valuations, while a potential function exists, the bound on the function can be exponential in the encoding of the instance. A natural question is to ask if the utilities can be replaced by some bounded integer function for which the local search has the exact same behaviour. We now show that when the degree of the player graph is bounded by two, this is indeed possible, resulting in a polynomial time procedure. **Theorem 3.** For the symmetric graphical matching problem with uniform valuation, if the underlying player graph has vertices of degree at most two, a 2-stable allocation can be computed in polynomial time.

$$f_i(x) = \begin{cases} 0 & \text{if } x = u_i^{\min} \\ 1 & \text{if } x = u_i^{\min} + c_{i,2}(c_{i,2} \le c_{i,1}) \\ 2 & \text{if } x = u_i^{\min} + c_{i,1} \text{ and } c_{i,1} > c_{i,2} \\ 3 & \text{if } x = u_i^{\min} + c_{i,1} + c_{i,2} \text{ and } c_{i,2} > 0 \end{cases}$$

It can be shown that $P(\pi) = \sum_{i \in N} (2n - g(i)) f_i(u_i(\pi))$ is a potential function with an upper bound of $6n^2$ and a step size of at least 1 ensuring computation in polynomial time. \Box

The above result implies efficient computation for various classes of graphs which are often studied, for instance, simple cycles. One natural question is whether the result can be extended to structures with small (logarithmic) neighbourhood. Such a restriction on the neighbourhood graph has interesting consequences in various classes of strategic form games where equilibrium computation is generally known to be hard [Gottlob *et al.*, 2005]. We now show that for bounded degree graphs the problem remains PLS-complete.

Theorem 4. Finding a 2-stable allocation in a symmetric graphical matching problem with uniform valuation in which the underlying player graph has vertices with degree at most six is PLS-complete.

Proof sketch. [Elsässer and Tscheuschner, 2011] showed that finding a local max-cut with a FLIP neighbourhood is PLS-complete even for graphs with degree at most five. Since our reduction in Theorem 2 increases the degree of each vertex by at most one, the result follows. \Box

While in the analysis above, we consider restrictions on the player graph, it is also natural to study restrictions on the item graph. A starting point would be to consider the case when the item graph is a complete graph. It can be verified that in this situation, the externalities do not play a crucial role and a core stable allocation can be computed using the TTC algorithm. A similar observation holds when the edge set in the item graph is empty ($\lambda = \emptyset$). Another candidate restriction would be the bipartite graph. However, our PLShardness reduction in Theorem 2 constructs a complete bipartite item graph. A careful analysis of the potential function in the context of complete bipartite item graphs provides an upper bound in terms of the size of the partition.

Theorem 5. For the symmetric graphical matching problem, if the underlying item graph is a complete bipartite graph $H = (U, V, U \times V)$ with U and V being the 2 partitions, a 2-stable allocation can be computed in $O(n^{\min(|U|,|V|)+4})$.



Figure 2: A gadget

Proof sketch. Let $N_U = \{i \mid \pi(i) \in U\}$ and $N_V = \{i \mid \pi(i) \in V\}$. Then the potential function reduces to $\phi(\pi) = \sum_{i \in N_U} 2u_i(\pi) + \sum_{i \in N_V} 2v_i(\pi)$. Assume $|U| \leq |V|$. For each assignment π , we can find the maximum value of $\sum_{i \in N_V} 2v_i(\pi)$ by finding the maximum weight matching of the bipartite graph $Q = (V, N_V, V \times N_V)$ with the weight of an edge (i, a) being $v_i(a)$ (in $O(n^4)$). Since there are $\frac{n!}{(n-|U|)!}$ ways of assigning players to U, an allocation with the optimal potential value can be computed in $O(n^{\min(|U|,|V|)+4})$. \Box

Corollary 3. For the symmetric graphical matching problem, if the underlying item graph is a complete bipartite graph with a constant number of vertices in one of the partitions, a 2-stable allocation can be computed in polynomial time.

There are various interesting graph structures which satisfy the above restriction, the simplest being the star graph, which is independently important in modelling workplaces with flat hierarchies, such as research labs.

4 Stability in Asymmetric Neighbourhood

When the underlying player graph is not symmetric, Example 2 shows that 2-stable outcomes need not always exists. The negative result already holds for the allocation problem with uniform valuation where the underlying player graph is a cycle and the item graphs consists of two disconnected cliques. This raises the question: What is the complexity of deciding if an instance of the graphical matching problem has a 2-stable outcome? We show that in general, this problem is NP-complete. We then identify restrictions where stable outcomes always exist and can be computed efficiently.

Theorem 6. The problem of deciding if an instance of the graphical matching problem has a 2-stable allocation is NP-complete.

Proof sketch. Given an allocation π , deciding whether π is a 2-stable allocation can be done in polynomial time. It suffices to check if there is a blocking pair in π . Thus the above problem is in NP. To show hardness, we give a reduction from 3-SAT. Let the 3-SAT instance have q variables ($\{a_1, a_2, \ldots, a_q\}$) and m clauses ($\{c_1, c_2, \ldots, c_m\}$). We create an instance of the graphical matching problem with

	$p \in S_1 \cup S_2$	$p \in C_1$	$p \in C_2$	$p \in C_3$	$p \in C_4$
$t \in A_{S_1}$	b	0	0	0	0
$t \in A_{S_2}$	b	0	0	0	0
$t \in A_{C_1}$	0	b+4e-f	b-6d	b	b-6d
$t \in A_{C_2}$	0	b-6d	b	b-6d	b-f
$t \in A_{C_3}$	0	b-f	b-6d	b	b-6d
$t \in A_{C_4}$	0	b-6d	b-f	b-6d	b

|N| = 4m + 2q, with the players being differentiated into 6 types with $N = C_1 \cup C_2 \cup C_3 \cup C_4 \cup S_1 \cup S_2$, where $\forall i \in \{1, 2, 3, 4\} |C_i| = m \text{ and } \forall j \in \{1, 2\} |S_j| = q.$ The key idea is to set up item valuations and the player neighbourhood structure such that a stable allocation can only exist if each player is assigned an item from the item set corresponding to its type(s) and the 3-SAT instance is satisfiable. We set up the following constants to aid our explanation: $b = (2q + 3m + 20)d = (2q + 3m + 20)^2e =$ $(2q + 3m + 20)^3 f$ with f = 1. There are 4 players corresponding to each clause and 2 players corresponding to each variable. For each clause c_i , the players corresponding to it $(c_{i,1}, c_{i,2}, c_{i,3} \text{ and } c_{i,4})$ are connected as shown in Figure 2, (ci,1;c_{i,2}, ci,3 and ci,4) are connected as shown in Figure 2, with $w_{c_{i,2},c_{i,1}} = w_{c_{i,4},c_{i,3}} = d - e, w_{c_{i,1},c_{i,2}} = w_{c_{i,3},c_{i,4}} = d,$ $w_{c_{i,4},c_{i,1}} = w_{c_{i,2},c_{i,3}} = d, w_{c_{i,1},c_{i,4}} = w_{c_{i,3},c_{i,2}} = d - e$ and $w_{c_{i,3},c_{i,1}} = w_{c_{i,1},c_{i,3}} = w_{c_{i,2},c_{i,4}} = w_{c_{i,4},c_{i,2}} = -2d.$ For each variable a_j , there are two players $s_{j,1}$ and $s_{j,2}$ correlations by the second seco responding to the positive literal a_j and the negative literal $\neg a_j$ respectively. The edge connecting these two players has a large negative weight $(w_{s_{j,1},s_{j,2}} = w_{s_{j,2},s_{j,1}} = -d)$. For each clause c_i where a positive literal a_i appears x times and the corresponding negative literal $\neg a_j$ appears y times, $w_{s_{j,1},c_{i,1}} = (x-y)e$ and $w_{s_{j,2},c_{i,1}} = (y-x)e$. For example, suppose $c_i = a_t \vee \neg a_u \vee a_v$. $(t \neq u \neq v)$ Then, $w_{s_{t,1},c_{i,1}} = w_{s_{u,2},c_{i,1}} = w_{s_{v,1},c_{i,1}} = e$ and $w_{s_{t,2},c_{i,1}} = e$ $w_{s_{u,1},c_{i,1}} = w_{s_{v,2},c_{i,1}} = -e.$

The item graph is $A = A_{C_1} \cup A_{C_2} \cup A_{C_3} \cup A_{C_4} \cup A_{S_1} \cup A_{S_2}$, with $|A_{C_i}| = m$ and $|A_{S_j}| = q$, with each of these six subsets being cliques. Additionally, there is complete connection between A_{S_2} and A_{C_1} , A_{C_1} and A_{C_2} and A_{C_3} and A_{C_4} . The table above contains $v_p(t)$, for each player p and item t. \Box

Thus, deciding the existence of a 2-stable allocation in an instance of the graphical matching problem is NP-complete. It is natural to try to identify restricted classes in which stable allocations are guaranteed to exist and classes where such allocations can be computed efficiently. A natural restriction to consider is a hierarchical influence structure, which is present in several organizations. In our framework, such a structure can be modelled by restricting the player graph to a directed acyclic graph (DAG). We now show that when the player graph is a DAG, a core stable allocation is guaranteed to exist and such an allocation can be computed in polynomial time.

Theorem 7. Consider an instance M of the graphical matching problem where the underlying player graph G is a DAG. A core stable allocation is guaranteed to exist in M and it can be computed in polynomial time.

Theorem 8. Consider an instance $M = (G, H, (v_i)_{i \in N})$ of the graphical matching problem with uniform valuation. If M



Figure 3: An item graph and an allocation

satisfies the following conditions, then a 2-stable allocation always exists and it can be computed in polynomial time.

- G is a cycle and $\exists i, j \in N$ such that $(j, i) \in \tau$ and $w_{j,i} > 0$.
- there exists $a \in A$ such that for all $a' \in A \{a\}$, $(a, a') \in \lambda$.

Theorem 9. Consider an instance $M = (G, H, (v_i)_{i \in N})$ of the graphical matching problem with uniform valuation. If G is a cycle with positive connection weights w and H is connected and has at least 1 node with degree 1, then a core stable allocation always exists and it can be computed in polynomial time.

Note that it is not the case that every 2-stable allocation is also a core stable allocation in this restricted setting (as specified in Theorem 9). Consider an instance of the graphical matching problem with uniform valuation where N = $\{1, \ldots, 6\}$ forms a cycle and the item graph is as shown in Figure 3. The numbers labelling the nodes of the item graph denote the players to which the items are assigned. Consider the allocation π where $\pi(i) = A_i$ for $i \in \{2, 4, 6\}$ and $\pi_i = B_i$ for $i \in \{1, 3, 5\}$ (also labelled in Figure 3). It can be verified that π is 2-stable but not core stable due to the existence of the blocking coalition $X = \{1, 3, 5\}$. In fact, at π there is a unique blocking coalition given by X. The resolution of the blocking coalition generates an allocation π' where $\pi'(1) = B_5, \pi'(3) = B_3$ and $\pi'(5) = B_5$. Now $X' = \{2, 4, 6\}$ forms a blocking coalition in π' . It can also be verified that starting at π there is a unique sequence of improvement steps resolving blocking coalitions which results in an infinite coalition improvement path.

5 Envy-Freeness

Envy-freeness is a natural and well-studied notion of fairness in resource allocation. In the cake-cutting problem, the existence of a complete, envy-free allocation is guaranteed for all agent valuations [Alon, 1987]. In the indivisible goods setting, we have hardness results [Bouveret and Lang, 2008] for computing the existence of a complete, envy-free allocation (Note: An allocation is complete if all of the item(s) available has (have) been assigned to the players). Recent works on resource allocation with a graphical component ([Chevaleyre et al., 2017], [Bouveret et al., 2017], [Abebe et al., 2017] and [Beynier et al., 2018]) have examined envy-freeness and its variants in great detail. Typically, the notion of envy is defined with respect to a bundle of items possessed by some other player. In our model, since a player's utility is dependent on other players' allocations, we adopt a slightly modified notion of envy-freeness, which is defined as follows. An allocation π is envy-free if there does not exist i, j such that $u_i(\pi) < u_i(\pi')$ where $\pi'(i) = \pi(j), \pi'(j) = \pi(i)$ and for all $k \in N - \{i, j\}, \pi(k) = \pi'(k)$. The above notion is very similar to the notion of *swap envy-freeness* defined in [Branzei *et al.*, 2013]. Note that, in a graphical matching problem, every allocation is complete by definition. A natural question is to ask whether it is possible to decide the existence of an envy-free allocation given an instance of the graphical matching problem. We show that even for a graphical matching problem with uniform valuation, where the underlying player graph is a cycle, this problem is NP-complete.

Theorem 10. For an instance of the graphical matching problem with uniform valuation where the underlying player graph is an unweighted cycle, deciding if there exists an envy-free allocation is NP-complete.

It is not difficult to show that deciding the existence of a complete, envy-free allocation in an instance of the symmetric graphical matching problem is NP-complete. Note that, deciding the existence of a complete, envy-free assignment in an allocation problem is known to be NP-complete [Bouveret and Lang, 2008].

6 Conclusions

In this paper we studied the problem of allocating indivisible items to a set of players where agents have cardinal nontransferable utilities associated with each allocation. We extended the one-sided market model to the network setting where agents' utilities depend on their neighbourhood externalities that are item specific and pairwise separable. We show that unlike in the case of one-sided markets, 2-stable allocations may not always exist. When the underlying neighbourhood structure is symmetric, a 2-stable allocation is guaranteed to exist although computing such an allocation is PLScomplete (already for player graphs of degree 6). We provide a polynomial time procedure to compute a 2-stable allocation when the degree of the player graph is bounded by two. An interesting question is to see if this result can be extended to player graphs of degree three using the technique of local linear programs as done for the local max-cut problem [Poljak, 1995]. Another natural question is the existence of core stable outcomes. While we believe that a core-stable allocation always exists in the symmetric setting, so far, we have been unable to prove this result. In case a core-stable outcome is not guaranteed to exist, it would be useful to find the maximum value of c such that c-stable outcomes exist.

There are several ways to extend the model. Allocations that allow subsets of items to be assigned to players is an obvious choice. We could also consider externalities which are not necessarily pairwise separable. It would be interesting to see whether the existence results continue to hold in these extended settings. It would also be interesting to identify more general classes of neighbourhood structures in which stable allocations are guaranteed to exist and where such an allocation can be efficiently computed.

Acknowledgements

We thank the reviewers for their useful comments. Sunil Simon was partially supported by grant MTR/2018/001244.

References

- [Abebe *et al.*, 2017] R. Abebe, J. Kleinberg, and D.C. Parkes. Fair division via social comparison. In *AAMAS'17*, pages 281–289, 2017.
- [Alon, 1987] N. Alon. Splitting necklaces. Advances in Mathematics, 63(3):247–253, 1987.
- [Anshelevich *et al.*, 2013] E. Anshelevich, O. Bhardwaj, and M. Hoefer. Friendship and stable matching. In *ESA'13*, page 49–60, 2013.
- [Arcaute and Vassilvitskii, 2009] E. Arcaute and S. Vassilvitskii. Social networks and stable matchings in the job market. In WINE'09, pages 220–231, 2009.
- [Beynier et al., 2018] A. Beynier, Y. Chevaleyre, L. Gourvès, J. Lesca, N. Maudet, and A. Wilczynski. Local envy-freeness in house allocation problems. In AAMAS'18, pages 292–300, 2018.
- [Bilò et al., 2018] V. Bilò, I. Caragiannis, M. Flammini, A. Igarashi, G. Monaco, D. Peters, C. Vinci, and W. S. Zwicker. Almost envy-free allocations with connected bundles. In *Proceedings of the 10th ITCS*, volume 124 of *LIPIcs*, pages 14:1–14:21, 2018.
- [Bouveret and Lang, 2008] S. Bouveret and J. Lang. Efficiency and envy-freeness in fair division of indivisible goods: Logical representation and complexity. *JAIR*, 32:525–564, 2008.
- [Bouveret et al., 2016] S. Bouveret, Y. Chevaleyre, and N. Maudet. Fair Allocation of Indivisible Goods, chapter 12. Handbook of Computational Social Choice. Cambridge University Press, 2016.
- [Bouveret *et al.*, 2017] S. Bouveret, K. Cechlárová, E. Elkind, A. Igarashi, and D. Peters. Fair division of a graph. In *IJCAI'17*, pages 135–141, 2017.
- [Branzei *et al.*, 2013] S. Branzei, A.D. Procaccia, and J. Zhang. Externalities in cake cutting. In *IJCAI'13*, pages 55–61, 2013.
- [Budish, 2011] E. Budish. The combinatorial assignment problem: Approximate competitive equilibrium from equal incomes. *Journal of Political Economy*, 119(6):1061–1103, 2011.
- [Cai and Daskalakis, 2011] Y. Cai and C. Daskalakis. On minmax theorems for multiplayer games. In *Proceedings* of the SODA'11, pages 217–234. SIAM, 2011.
- [Chevaleyre *et al.*, 2017] Y. Chevaleyre, U. Endriss, and N. Maudet. Distributed fair allocation of indivisible goods. *Artificial Intelligence*, 242:1–22, 2017.
- [Christopoulos and Zissimopoulos, 2004] P. Christopoulos and V. Zissimopoulos. An overview of what we can and cannot do with local search. *ANNALES DU LAMSADE No 2*, 2004.
- [Damamme et al., 2015] A. Damamme, A. Beynier, Y. Chevaleyre, and N. Maudet. The power of swap deals in distributed resource allocation. In AAMAS'15, pages 625–633, 2015.

- [Deligkas *et al.*, 2014] A. Deligkas, J. Fearnley, R. Savani, and P. Spirakis. Computing approximate nash equilibria in polymatrix games. In *WINE'14*, pages 58–71, 2014.
- [Elsässer and Tscheuschner, 2011] R. Elsässer and T. Tscheuschner. Settling the complexity of local max-cut (almost) completely. In *ICALP'11*, pages 171–182. Springer, 2011.
- [Fujita et al., 2015] E. Fujita, J. Lesca, A. Sonoda, T. Todo, and M. Yokoo. A complexity approach for core-selecting exchange with multiple indivisible goods under lexicographic preferences. In AAAI'15, pages 907–913, 2015.
- [Ghodsi et al., 2018] M. Ghodsi, H. Saleh, and M. Seddighin. Fair allocation of indivisible items with externalities. CoRR, abs/1805.06191, 2018.
- [Gottlob *et al.*, 2005] G. Gottlob, G. Greco, and F. Scarcello. Pure Nash equilibria: Hard and easy games. *JAIR*, 24:357–406, 2005.
- [Gourves *et al.*, 2017] L. Gourves, J. Lesca, and A. Wilczynski. Object allocation via swaps along a social network. In *IJCAI'17*, pages 213–219, 2017.
- [Gusfield and Irvin, 1989] D. Gusfield and R. Irvin. *The Stable Marriage Problem: Structure and Algorithms*. MIT Press, 1989.
- [Hoefer, 2013] M. Hoefer. Local matching dynamics in social networks. *Information and Computation*, 222:20–35, 2013.
- [Janovskaya, 1968] E.B. Janovskaya. Equilibrium points in polymatrix games. *Litovskii Matematicheskii Sbornik*, 8:381–384, 1968.
- [Kearns *et al.*, 2001] M. Kearns, M. Littman, and S. Singh. Graphical models for game theory. In *UAI '01*, pages 253–260, 2001.
- [Lesca and Todo, 2018] J. Lesca and T. Todo. Service exchange problem. In *IJCAI'18*, pages 354–360, 2018.
- [Lonc and Truszczynski, 2018] Z. Lonc and M. Truszczynski. Maximin share allocations on cycles. In *IJCAI'18*, pages 410–416. AAAI Press, 2018.
- [Poljak, 1995] S. Poljak. Integer linear programs and local search for max-cut. SIAM Journal of Computing, 24(4):822–839, 1995.
- [Rahn and Schäfer, 2015] M. Rahn and G. Schäfer. Efficient equilibria in polymatrix coordination games. In *Proceed*ings of the 40th MFCS, pages 529–541, 2015.
- [Roth and Vate, 1990] A.E. Roth and John H Vande Vate. Random paths to stability in two-sided matching. *Econometrica: Journal of the Econometric Society*, pages 1475– 1480, 1990.
- [Schäffer and Yannakakis, 1991] A.A. Schäffer and M. Yannakakis. Simple local search problems that are hard to solve. SIAM journal on Computing, 20(1):56–87, 1991.
- [Shapley and Scarf, 1974] L. S. Shapley and H. Scarf. On cores and indivisibility. *Journal of Mathematical Economics*, 1(1):23–37, 1974.

[Sun et al., 2015] Z. Sun, H. Hata, T. Todo, and M. Yokoo. Exchange of indivisible objects with asymmetry. In *IJ-CAI'15*, pages 97–103, 2015.

Appendix

Example 2. Let the set of players $N = \{1, \ldots, 6\}$ and $A = \{A, B, C, D, E, F\}$. Suppose the player graph $G = (N, \tau)$ forms a cycle on N consisting of the edges $(6, 1) \in \tau$ and $(i, i + 1) \in \tau$ for all $i : 1 \leq i \leq 5$. For every edge $(i, j) \in \tau$, let $w_{i,j} = c$ for some constant c. We also assume uniform valuation $v_i(a) = 0$ for all $i \in N$ and $a \in A$. Let the item graph be the structure given in Figure 1. Since the item graph consists of two 3-cliques, it is sufficient to divide players into groups of 3, assign them to any of the 3-cliques, and check if, for any group of 3, we have a 2-stable allocation. Below we provide the list of all such allocations and underline the blocking pair: ((1, 2, 3), (4, 5, 6)), ((1, 2, 4), (3, 5, 6)), ((1, 2, 5), (3, 4, 6)), ((1, 2, 6), (3, 4, 5)), ((1, 4, 5), (2, 3, 6)), ((1, 4, 6), (2, 3, 5)), ((1, 5, 6), (2, 3, 4)).

Theorem 1. Every improvement path in a symmetric graphical matching problem is finite. Thus, a 2-stable allocation always exists.

Proof. We can argue that the following function acts as a potential function in the symmetric graphical matching problem: $\phi(\pi) = \sum_{i \in N} (v_i(\pi) + u_i(\pi)).$

Consider an arbitrary allocation π which is not 2-stable and let $\pi \to_{p_1, p_2} \pi'$. By the definition of a blocking pair, for $i \in \{1, 2\}, v_{p_i}(\pi') + r_{p_i}(\pi') > v_{p_i}(\pi) + r_{p_i}(\pi)$. Therefore, we have $\phi(\pi') - \phi(\pi) = \sum_{p \in N} (u_p(\pi') + v_p(\pi') - (u_p(\pi) + v_p(\pi))) = \sum_{i \in \{1, 2\}} ((v_{p_i}(\pi') - v_{p_i}(\pi)) + 2(r_{p_i}(\pi') - r_{p_i}(\pi))) + (v_{p_i}(\pi') - v_{p_i}(\pi)) = 2\sum_{i \in \{1, 2\}} (v_{p_i}(\pi') + r_{p_i}(\pi')) - (v_{p_i}(\pi) + r_{p_i}(\pi)) > 0$

Theorem 2. Finding a 2-stable allocation in a symmetric graphical matching problem with uniform valuation in which the edge weights in the underlying player graph are non-negative is PLS-complete.

Proof. Consider an instance of the graphical matching problem with uniform valuation. Without loss of generality we assume that $v_i(a) = 0$ for all $i \in N$ and $a \in A$. In this case, the potential function defined in the proof of Theorem 1 essentially reduces to the social welfare, i.e., $\phi(\pi) = \sum_{i \in N} u_i(\pi) = SW(\pi)$. Note that, an arbitrary allocation can be computed in polynomial time. Given an arbitrary allocation π , we can compute the social welfare $\phi(\pi)$ in polynomial time. We can also check if π is 2-stable in polynomial time. Thus, the problem of finding a 2-stable allocation is in PLS. To show PLS-hardness, we give a *tight reduction* from the PLS-complete max-cut problem with FLIP neighbourhood [Schäffer and Yannakakis, 1991].

Let $Q = (V, E, \{z_e\}_{e \in E})$ be an instance of the max-cut problem where V is the set of vertices, $E \subseteq V \times V$ is the set of edges and $\{z_e\}_{e \in E}$ is the set of non-negative edge weights. We construct an instance of the symmetric graphical matching problem in which the underlying player graph has non-negative edge weights as follows. Let the player graph $G = (N, \tau)$, where $N = \{v_{blue} \mid v \in V\} \cup \{v_{red} \mid v \in V\}$. That is, for every vertex $v \in V$, there are two vertices v_{blue} and v_{red} in N. Thus |N| = 2 * |V|. For each edge $(u, v) \in E$ we add two edges in τ : $(u_{blue}, v_{blue}) \in \tau$ and $(u_{red}, v_{red}) \in \tau$ with $w_{ublue}, v_{blue} = w_{ured}, v_{red} = z_{(u,v)}$. Let $w_{max} = |N|^2 * (\max_{e \in E} z_e - \min_{e \in E} z_e)$. For every vertex $v \in V$, we also add the edge $(v_{blue}, v_{red}) \in \tau$ with $w_{v_{blue}}, v_{red} = w_{max}$. The item graph is the complete bipartite graph $H = (A, \lambda)$ where each partition consists of |V| vertices. In other words, let the two partitions be A_1 and A_2 , with vertices $A_1(1), A_1(2), \ldots, A_1(|V|)$ and $A_2(1), A_2(2), \ldots, A_2(|V|)$). By assumption, for all $i \in N$ and $a \in A$, $v_i(a) = 0$.

Consider any allocation π which is a local optimum in an instance of the graphical matching problem constructed above. We argue that it satisfies the following condition: For every pair of players (v_{blue}, v_{red}) , the items allocated to these players under π will not be in the same partition. Suppose not, assume that there exists some local optimum such that there exists nodes u_{blue} and u_{red} such that $\pi(u_{blue})$ and $\pi(u_{red})$ are in the same partition. Without loss of generality, let us assume that both the items are in partition A_1 . Then there must exist some v such that v_{blue} and v_{red} both possess items in A_2 . But, (v_{blue}, u_{blue}) , (v_{blue}, u_{red}) , (v_{red}, u_{red}) and (v_{red}, u_{blue}) all form blocking pairs in this case. This gives us a contradiction to the optimality of π .

By the definition of a tight reduction ([Christopoulos and Zissimopoulos, 2004], Definition 5.2), we need to be able to find a subset S of allocations which satisfies the conditions below:

- S contains all 2-stable allocations of this instance of the graphical matching problem.
- For every cut $(V_1, \overline{V_1})$, it should be possible to construct, in polynomial time, an allocation $\pi \in S$ such that π maps to $(V_1, \overline{V_1})$.
- For any pair of allocations $\pi_1, \pi_t \in S$ such that there is an improvement path $\pi_1, \pi_2, \ldots, \pi_{t-1}, \pi_t$ with the allocations $\pi_2, \ldots, \pi_{t-1} \notin S$, the cuts $(V_1, \overline{V_1})$ and $(V_t, \overline{V_t})$ (corresponding to the allocations π_1 and π_t respectively) must either be the same or there must be an improvement step from $(V_1, \overline{V_1})$ to $(V_t, \overline{V_t})$.

We argue that the following set of allocations satisfies these conditions: $S = \{\pi | \nexists v \in V, \pi(v_{blue}) \in A_i \text{ and } \pi(v_{red}) \in A_i \forall i \in \{1, 2\}\}.$

By the necessary condition for local optima established above, all local optima must belong to S. Note that, we can construct an allocation corresponding to any cut as follows: Let $(V_1, \overline{V_1})$ be an arbitrary cut. π is an allocation corresponding to $(V_1, \overline{V_1})$ if $\forall v \in V_1$, $\pi(v_{blue}) \in A_1$ and $\forall v \in \overline{V_1}, \pi(v_{blue}) \in A_2$. Note that, the social welfare $SW(\pi) = 4 * cutWeight(V_1, \overline{V_1}) + 2|V| * w_{max}$. Such an allocation can clearly be constructed in polynomial time.

Note that there can be no directed edges from $\pi \in S$ to $\pi' \in \Pi - S$ in the transition graph of an instance of graphical matching problem (since $SW(\pi') < 2|V| * w_{max}$). Thus,

the third condition for a tight reduction is trivially satisfied, which completes our proof. $\hfill \Box$

The standard local search algorithm starts from an initial feasible solution and moves to better neighbours until it reaches a local optimum. In the case of the graphical matching problem, this implies starting with an initial allocation and successively performing blocking pair resolutions until we reach a local optimum. We show that, for the graphical matching problem, the standard local search algorithm takes exponential time in the worst case, irrespective of the blocking pair selection rule used.

Corollary 2. The standard local search algorithm takes exponential time in the worst case for the symmetric graphical matching problem.

Proof. Note that, by theorem 5.15 of [Schäffer and Yannakakis, 1991], the standard local search algorithm takes exponential time in the worst case for the max-cut problem. Since we have a tight reduction from the max-cut problem to the graphical matching problem, by lemma 3.3 of [Schäffer and Yannakakis, 1991], the standard local search algorithm takes exponential time in the worst case for the graphical matching problem.

Theorem 3. For the symmetric graphical matching problem with uniform valuation, if the underlying player graph has vertices of degree at most two, a 2-stable allocation can be computed in polynomial time.

Proof. Without loss of generality, assume that $v_i(a) = 0$ for all $i \in N$ and $a \in A$. Since all the vertices of the underlying player graph G have degree at most 2, for all $i \in N$, $|i_{\tau}| \leq 2$. Let n = |N|. In order to fix notation, let us assume that $i_{\tau} = \{i_l, i_r\}$ if $|i_{\tau}| = 2$ and $i_{\tau} = \{i_l\}$ if $|i_{\tau}| = 1$. Let $c_{i,1} = \max_{j \in i_{\tau}} |w_{j,i}|$ with $c_{i,2} = \min_{j \in i_{\tau}} |w_{j,i}|$ if $|i_{\tau}| = 2$ and $c_{i,2} = 0$ otherwise.

Let $g : N \to N$ denote an ordering of the players (where g(i) denotes the rank of $i \in N$ in this ordering) which satisfies the following condition: if g(i) < g(j) then $c_{i,1} \ge c_{j,1}$. For $i \in N$, let $u_i^{\min} = \min_{\pi \in \Pi} u_i(\pi)$ and $Y_i = \{u_i^{\min}, u_i^{\min} + c_{i,2}, u_i^{\min} + c_{i,1}, u_i^{\min} + c_{i,1} + c_{i,2}\}$. Note that, for all $\pi \in \Pi, u_i(\pi) \in Y_i$. For $x \in Y_i$, let

$$f_i(x) = \begin{cases} 0 & \text{if } x = u_i^{\min} \\ 1 & \text{if } x = u_i^{\min} + c_{i,2}(c_{i,2} \le c_{i,1}) \\ 2 & \text{if } x = u_i^{\min} + c_{i,1} \text{ and } c_{i,1} > c_{i,2} \\ 3 & \text{if } x = u_i^{\min} + c_{i,1} + c_{i,2} \text{ and } c_{i,2} > 0 \end{cases}$$

Let $\sigma_i(\pi) = (2n - g(i))f_i(u_i(\pi))$ and $P : \Pi \to \mathbb{Z}_{\geq 0}$ be defined as: $P(\pi) = \sum_{i \in N} \sigma_i(\pi)$. Note that for any $\pi \in \Pi$, $P(\pi)$ is at most $6n^2$. Let (π, π') be any blocking pair resolution involving players (i, j). We now argue that $P(\pi') > P(\pi)$. Note that, $P(\pi') - P(\pi) = \sum_{p \in i_\tau \cup j_\tau \cup \{i,j\}} (\sigma_p(\pi') - \sigma_p(\pi))$.

To simplify our proof, we assume edge weights to be nonnegative. The cases where some edge weights are negative follow similarly. We have the following cases:

- $\nexists p \in i_{\tau}, q \in j_{\tau}$ such that p = q: In this case, we can treat the swap as independent moves. Thus, it is sufficient to analyze the changes due to a single player. In the following cases, we show that $\sum_{p \in i_{\tau} \cup \{i\}} (\sigma_p(\pi') \sigma_p(\pi)) > 0$.
 - Case 1: $i_l \notin N(i,\pi)$ and $i_r \notin N(i,\pi)$. By the definition of the blocking pair resolution, either $i_l \in N(i,\pi')$ or $i_r \in N(i,\pi')$. (Note that, if *i*'s degree is 1, $i_l \in N(i,\pi')$ must hold.)
 - Case 2: Without loss of generality, $i_l \in N(i, \pi)$, $i_r \notin N(i, \pi)$ and $i_l, i_r \in N(i, \pi')$. Note that this case can only be applicable for players with degree 2. It can be verified that in both these cases, $\sum_{p \in i_\tau \cup \{i\}} (\sigma_p(\pi') \sigma_p(\pi)) > 0$
 - Case 3: Without loss of generality, $i_l \in N(i, \pi)$, $i_r \notin N(i, \pi)$ and $i_l \notin N(i, \pi')$, $i_r \in N(i, \pi')$, implying $u_i(\pi) = c_{i,2} = w_{i_l,i}$ and $u_i(\pi') = c_{i,1} = w_{i_r,i}$. Note that, $\forall p \in \{i, i_r\} f_p(u_p(\pi')) - f_p(u_p(\pi)) \ge 1$ while $f_{i_l}(u_{i_l}(\pi')) - f_{i_l}(u_{i_l}(\pi)) \in \{-1, -2\}$. Note that this case can only be applicable for players with degree 2.
 - $\begin{array}{ll} & \text{ If } f_{i_l}(u_{i_l}(\pi')) \ \ f_{i_l}(u_{i_l}(\pi)) \ = \ -1, \ \text{then} \\ & \sum_{p \in i_\tau \cup \{i\}} (\sigma_p(\pi') \sigma_p(\pi)) \ge (2n g(i_r)) + \\ & (2n g(i)) (2n g(i_l)) > 0 \ \text{as} \ 1 \le g(k) \le n \\ & \forall k \in N. \end{array}$
 - * If $f_{i_l}(u_{i_l}(\pi')) f_{i_l}(u_{i_l}(\pi)) = -2$, it implies $c_{i_l,1} = w_{i,i_l}$. By the definition of the blocking pair resolution, $c_{i,1} > c_{i_l,1}$. Since $w_{i,i_r} > c_{i_l,1}$, we have $c_{i_r,1} > c_{i_l,1}$. By definition of $g, g(i_l) > g(i_r)$ and $g(i_l) > g(i)$. Therefore, $\sum_{p \in i_\tau \cup \{i\}} (\sigma_p(\pi') \sigma_p(\pi)) \ge (2n g(i_r)) + (2n g(i)) 2(2n g(i_l)) = 2g(i_l) (g(i_r) + g(i)) > 0$.
- $\exists p \in i_{\tau}, q \in j_{\tau}$ such that p = q. Without loss of generality, let $i_l = j_l$ and $i_r \neq j_r$ (if i_r, j_r exist):
 - Case 4: $i_r \notin N(i,\pi)$ and $i_l \notin N(i,\pi)$. If $i_r \in N(i,\pi')$ and $i_l \notin N(i,\pi')$, this is the same as Case 1. If $i_l \in N(i,\pi')$, $i_l \in N(j,\pi)$ and $i_l \notin N(j,\pi')$. By the definition of the blocking pair resolution, $j_r \in N(j,\pi')$ and $j_r \notin N(j,\pi)$. Therefore, $\forall p \in \{i, j, j_r\} f_p(u_p(\pi')) - f_p(u_p(\pi)) \ge 1$ while $f_{i_l}(u_{i_l}(\pi')) - f_{i_l}(u_{i_l}(\pi)) \ge -1$. Thus, $P(\pi') - P(\pi) > 0$.
 - Case 5: $i_r \notin N(i,\pi)$ and $i_l \in N(i,\pi)$, with $i_r \in N(i,\pi')$ and $i_l \in N(i,\pi')$: Therefore, $i_l \in N(j,\pi)$. By the definition of the blocking pair resolution, $j_r \in N(j,\pi')$ and $j_r \notin N(j,\pi)$. Therefore, $\forall p \in \{i, j, i_r, j_r\} f_p(u_p(\pi')) f_p(u_p(\pi)) \ge 1$ while $f_{i_l}(u_{i_l}(\pi')) f_{i_l}(u_{i_l}(\pi)) \ge 0$. Thus, $P(\pi') P(\pi) > 0$.
- $i_{\tau} = j_{\tau}$ with $|i_{\tau}| = 2$. In this case, it is easy to verify that a blocking pair is only possible if both i, j are connected to one item initially. Let $\pi \to_{i,j} \pi'$. Therefore, for all $p \in \{i, j, i_l, i_r\}(u_p(\pi') u_p(\pi)) > 0$ implying $f_p(u_p(\pi')) f_p(u_p(\pi)) > 0 \ \forall p \in \{i, j, i_l, i_r\}$. Thus, $P(\pi') P(\pi) > 0$.

Theorem 5. For the symmetric graphical matching problem, if the underlying item graph is a complete bipartite graph $H = (U, V, U \times V)$ with U and V being the 2 partitions, a 2-stable allocation can be computed in $O(n^{\min(|U|,|V|)+4})$.

Proof. For a symmetric graphical matching problem, the potential function is given by $\phi(\pi) = \sum_{i \in N} (v_i(\pi) + u_i(\pi))$ (Theorem 1). Let $N_U = \{i | \pi(i) \in U\}$ and $N_V = \{i | \pi(i) \in V\}$. Note that, for a bipartite graph, this can be written as $\phi(\pi) = \sum_{i \in N_U} (v_i(\pi) + u_i(\pi)) + \sum_{i \in N_V} (v_i(\pi) + u_i(\pi))$ $= \sum_{i \in N_U} (2v_i(\pi) + r_i(\pi)) + \sum_{i \in N_V} (2v_i(\pi) + r_i(\pi))$ $= \sum_{i \in N_U} (2v_i(\pi) + 2r_i(\pi)) + \sum_{i \in N_V} 2v_i(\pi)$ $= \sum_{i \in N_U} 2u_i(\pi) + \sum_{i \in N_V} 2v_i(\pi)$ $= \sum_{i \in N_U} 2v_i(\pi) + \sum_{i \in N_V} 2u_i(\pi).$ Without loss of generative lat $|U| \leq |V|$. For each assign

Without loss of generality, let $|U| \leq |V|$. For each assignment π , we can find the maximum value of $\sum_{i \in N_V} 2v_i(\pi)$ by finding the maximum weight matching of the bipartite graph $Q = (V, N_V, V \times N_V)$ with the weight of an edge (i, a) being $v_i(a)$ (in $O(n^4)$). Note that there are $\frac{n!}{(n-|U|)!}$ ways of assigning the |U| items to players in N. For each of these, $\sum_{i \in N_U} 2u_i(\pi)$ is fixed since H is a complete bipartite graph, and the maximum value of $\sum_{i \in N_V} 2v_i(\pi)$ can be computed by reducing it to a maximum weight matching problem as described above. Thus, an allocation with the optimal potential value can be computed in $O(n^{\min(|U|,|V|)+4})$.

Theorem 6. The problem of deciding if an instance of the graphical matching problem has a 2-stable allocation is NP-complete.

Proof. Given an allocation π , deciding whether π is a 2stable allocation can be done in polynomial time. It suffices to check if there is a blocking pair in π . Thus the above problem is in NP. To show hardness, we give a reduction from 3-SAT. Let the 3-SAT instance have q variables $(\{a_1, a_2, ..., a_n\})$ and *m* clauses $(\{c_1, c_2, ..., c_m\})$. We create an instance of the graphical matching problem with |N| = 4m + 2q, with the players being differentiated into 6 types with $N = C_1 \cup C_2 \cup C_3 \cup C_4 \cup S_1 \cup S_2$, where $\forall i \in \{1, 2, 3, 4\} |C_i| = m \text{ and } \forall j \in \{1, 2\} |S_j| = q.$ The key idea is to set up item valuations and the player neighbourhood structure such that a stable allocation can only exist if each player is assigned an item from the item set corresponding to its type(s) and the 3-SAT instance is satisfiable. We set up the following constants to aid our explanation: $b = (2q + 3m + 20)d = (2q + 3m + 20)^2e =$ $(2q + 3m + 20)^3 f$ with f = 1. There are 4 players corresponding to each clause and 2 players corresponding to each variable. For each clause c_i , the players corresponding to it $(c_{i,1}, c_{i,2}, c_{i,3} \text{ and } c_{i,4})$ are connected as shown in Figure 2, with $w_{c_{i,2},c_{i,1}} = w_{c_{i,4},c_{i,3}} = d - e, w_{c_{i,1},c_{i,2}} = w_{c_{i,3},c_{i,4}} = d$, $w_{c_{i,4},c_{i,1}} = w_{c_{i,2},c_{i,3}} = d, w_{c_{i,1},c_{i,4}} = w_{c_{i,3},c_{i,2}} = d - e$ and $w_{c_{i,3},c_{i,1}} = w_{c_{i,1},c_{i,3}} = w_{c_{i,2},c_{i,4}} = w_{c_{i,4},c_{i,2}} = -2d$. For each variable a_j , there are two players $s_{j,1}$ and $s_{j,2}$ corresponding to the positive literal a_i and the negative literal $\neg a_i$ respectively. The edge connecting these two players has a large negative weight $(w_{s_{j,1},s_{j,2}} = w_{s_{j,2},s_{j,1}} = -d)$. For

	$p \in S_1 \cup S_2$	$p \in C_1$	$p \in C_2$	$p \in C_3$	$p \in C_4$
$t \in A_{S_1}$	b	0	0	0	0
$t \in A_{S_2}$	b	0	0	0	0
$t \in A_{C_1}$	0	b+4e-f	b-6d	b	b-6d
$t \in A_{C_2}$	0	b-6d	b	b-6d	b-f
$t \in A_{C_3}$	0	b-f	b-6d	b	b-6d
$t \in A_{C_4}$	0	b-6d	b-f	b-6d	b

each clause c_i where a positive literal a_j appears x times and the corresponding negative literal $\neg a_j$ appears y times, $w_{s_{j,1},c_{i,1}} = (x - y)e$ and $w_{s_{j,2},c_{i,1}} = (y - x)e$. For example, suppose $c_i = a_t \lor \neg a_u \lor a_v$. $(t \neq u \neq v)$ Then, $w_{s_{t,1},c_{i,1}} = w_{s_{u,2},c_{i,1}} = w_{s_{v,1},c_{i,1}} = e$ and $w_{s_{t,2},c_{i,1}} =$ $w_{s_{u,1},c_{i,1}} = w_{s_{v,2},c_{i,1}} = -e$.

The item graph is $A = A_{C_1} \cup A_{C_2} \cup A_{C_3} \cup A_{C_4} \cup A_{S_1} \cup A_{S_2}$, with $|A_{C_i}| = m$ and $|A_{S_j}| = q$, with each of these six subsets being cliques. Additionally, there is complete connection between A_{S_2} and A_{C_1} , A_{C_1} and A_{C_2} and A_{C_3} and A_{C_4} . The table above contains $v_p(t)$, for each player p and item t.

Let us assume that the 3-SAT instance has some satisfying assignment. We can construct a 2-stable allocation using this satisfying assignment. Let T denote the set of variables which are set to true in this satisfying assignment, and F denote the set of variables set to false in this assignment. It is easy to verify that the following allocation π is 2-stable: $\forall i \in \{1, 2, 3, 4\} \forall j \in C_i \ \pi(j) \in A_{C_i}, \forall a_j \in T \ \pi(s_{j,1}) \in A_{S_2} \text{ and } \pi(s_{j,2}) \in A_{S_1} \text{ and } \forall a_j \in F \ \pi(s_{j,2}) \in A_{S_2} \text{ and }$ $\pi(\tilde{s}_{j,1}) \in A_{S_1}$. Note that, all players in $S_1 \cup S_2 \cup C_2 \cup C_4$ have the maximum utility attainable, and hence, cannot be a part of any blocking pair. Thus, the only possible blocking pair is between players $i, j \in C_1 \cup C_3$. Since any two players $x, y \in C_i$ are connected to the same set of players, and their valuations for all items in A_{C_i} are the same, they cannot form a blocking pair. Thus, the only possible blocking pair is between players x, y where, without loss of generality, $x \in C_1$ and $y \in C_3$. Since the assignment is satisfying, $v_x(\pi(x)) \ge b + d + e - f > b + d \ge v_x(\pi(y))$. Hence, this is a 2-stable allocation.

To complete the proof, we simply need to show that every 2-stable allocation will generate a satisfying assignment for the 3-SAT instance. We first list necessary conditions for a 2-stable allocation.

Claim 1. For every 2-stable allocation π , it is necessary that:

- For all $p \in S_1 \cup S_2$, $\pi(p) \in A_{S_1} \cup A_{S_2}$
- For all $i \in \{1, 2, 3, 4\}$, for all $p \in C_i$, $\pi(p) \in A_{C_i}$.
- There does not exist i s.t. $\pi(s_{i,1}) \in S_k$ and $\pi(s_{i,2}) \in S_k$ for some $k \in \{1, 2\}$.

The proof of the claim follows from the lemmas given below:

Lemma 1. For any 2-stable allocation π , $\forall x \in S_1 \cup S_2$, $\pi(x) \in A_{S_1} \cup A_{S_2}$ and, $\forall i \in \{1, 2, 3, 4\} \ \forall y \in C_i \ \pi(y) \in A_{C_1} \cup A_{C_2} \cup A_{C_3} \cup A_{C_4}$.

Lemma 2. For any 2-stable allocation π , for each player $p \in C_1 \cup C_3$, $\pi(p) \in A_{C_1} \cup A_{C_3}$ and for each player $q \in C_2 \cup C_4$, $\pi(q) \in A_{C_2} \cup A_{C_4}$.

Lemma 3. For any 2-stable allocation π , for each player $p \in C_1$, $\pi(p) \in A_{C_1}$ and, for each player $q \in C_3$, $\pi(q) \in A_{C_3}$.

Lemma 4. For any 2-stable allocation π , for each player $p \in C_2$, $\pi(p) \in A_{C_2}$ and, for each player $q \in C_4$, $\pi(q) \in A_{C_4}$.

Lemma 5. For any 2-stable allocation π , for each pair of players $s_{i,1}$ and $s_{i,2}$, if $\pi(s_{i,1}) \in A_{S_k}$, $\pi(s_{i,2}) \in A_{S_{3-k}}$ for $k \in \{1, 2\}$.

We can generate an assignment for the 3-SAT instance using a 2-stable allocation as follows: Let $X = \{i \in S_1 \cup S_2 \mid i \inS_2 \mid$ $\pi(i) \in A_{S_2}$. Since the allocation is 2-stable, assuming Claim 1, for each variable a_i in the 3-SAT instance, exactly one of $s_{j,1}$ and $s_{j,2}$ must be in X. If $s_{j,1} \in X$, we set a_j to true, otherwise, we set it to false. We will show that this constitutes a satisfying assignment for the 3-SAT instance. Let X_i = Number of satisfying literals for clause c_i in the generated assignment and Y_i = Number of unsatisfying literals for clause c_i in the generated assignment. Suppose there exists some 2-stable allocation π . Let us assume, to the contrary, that the generated assignment does not satisfy the 3-SAT instance. Therefore, there must exist some clause c_i which is not satisfied. However, note that $u_{c_{i,1}}(\pi) = (b+d+3e-f)+$ $e(X_i - Y_i)$ and $u_{c_{i,3}}(\pi) = b + d - e$, while $u_{c_{i,1}}(\pi') = b + d$ and $u_{c_{i,3}}(\pi') = b + d - f$ where $\pi'(c_{i,1}) = \pi(c_{i,3}), \pi'(c_{i,3}) = d$ $\pi(c_{i,1}) \text{ and } \forall x \in ((S_1 \cup S_2 \cup C_1 \cup C_2 \cup C_3 \cup C_4) - \{c_{i,1}, c_{i,3}\})$ $\pi'(x) = \pi(x)$. But, this implies that $c_{i,1}$ and $c_{i,3}$ form a blocking pair with $\pi \rightarrow_{c_{i,1},c_{i,3}} \pi'$. Thus, π is not 2-stable, leading to the contradiction. \square

The proofs of Lemmas 1 and 2 are straightforward. We give the proofs of Lemmas 3, 4 and 5 below.

Proof of Lemma 3. Suppose there exists some player $c_{i,1} \in C_1$ such that $\pi(c_{i,1}) \in A_{C_3}$. By lemma 2, there must exist some player $c_{j,3} \in C_3$ such that $\pi(c_{j,3}) \in A_{C_1}$. There are two cases:

- $\exists i, j \text{ such that } i = j$: There are 3 cases now:
 - $\pi(c_{j,2}) \in A_{C_k}$ and $\pi(c_{j,4}) \in A_{C_k}$ for some $k \in \{2,4\}$: Since π is 2-stable, there must be some l such that $\pi(c_{l,2}) \in A_{C_{6-k}}$ and $\pi(c_{l,4}) \in A_{C_{6-k}}$. But, in this case, $c_{j,2}$ and $c_{l,4}$ will form a blocking pair with $\pi \rightarrow_{c_{j,2},c_{l,4}} \pi'$ as $u_{c_{j,2}}(\pi) \leq b - d < b - f \leq u_{c_{j,2}}(\pi')$. Similarly, $u_{c_{l,4}}(\pi) \leq b - e < b - f \leq u_{c_{l,4}}(\pi')$. Hence, this is not a 2-stable allocation.
 - $\pi(c_{j,2}) \in A_{C_2}$ and $\pi(c_{j,4}) \in A_{C_4}$: In this case, $c_{j,2}$ and $c_{j,4}$ form a blocking pair, with $\pi \rightarrow_{c_{j,2},c_{j,4}} \pi'$ as $u_{c_{j,2}}(\pi) \leq b + d - e < b + d - f \leq u_{c_{j,2}}(\pi')$ and $u_{c_{j,4}}(\pi) \leq b + d - e < b + d - f \leq u_{c_{j,4}}(\pi')$. Thus, this is not a 2-stable allocation.
 - $\pi(c_{j,2}) \in A_{C_4}$ and $\pi(c_{j,4}) \in A_{C_2}$: In this case, $c_{j,1}$ and $c_{j,3}$ form a blocking pair, with $\pi \rightarrow_{c_{j,1},c_{j,3}} \pi'$ as $u_{c_{j,3}}(\pi)) \leq b + d - (e+f) < b + d \leq u_{c_{j,3}}(\pi')$ and $u_{c_{j,1}}(\pi) \leq b + d - e < b + d + e - f \leq u_{c_{j,1}}(\pi')$. Thus, this is not a 2-stable allocation.

• $\nexists i, j$ such that $i \neq j$: In this case, $c_{i,3}$ and $c_{j,1}$ form a blocking pair with $\pi \to_{c_{i,3},c_{j,1}} \pi'$ as $u_{c_{i,3}}(\pi) \leq b - (e + f) < b - f \leq u_{c_{i,3}}(\pi')$ and $u_{c_{j,1}}(\pi) \leq b - (e + f) < b + e - f \leq u_{c_{j,1}}(\pi')$. Thus, this is not a 2-stable allocation.

Proof of Lemma 4. Suppose there exists some player $c_{i,2} \in C_2$ such that $\pi(c_{i,2}) \in A_{C_4}$. By lemma 2, there must exist some $c_{j,4} \in C_4$ such that $\pi(c_{j,4}) \in A_{C_2}$. There are two cases:

- $\exists i, j$ such that i = j: In this case, $c_{j,2}$ and $c_{j,4}$ form a blocking pair, with $\pi \to_{c_{j,2},c_{j,4}} \pi'$ as $u_{c_{j,2}}(\pi) \leq b+d-(e+f) < b+d \leq u_{c_{j,2}}(\pi')$ and $u_{c_{j,4}}(\pi) \leq b+d-(e+f) < b+d \leq u_{c_{j,4}}(\pi')$. Hence, this allocation is not 2-stable.
- $\nexists i, j$ such that $i \neq j$: In this case, $c_{i,2}$ and $c_{j,4}$ form a blocking pair with $\pi \rightarrow_{c_{i,2},c_{j,4}} \pi'$ as $u_{c_{i,2}}(\pi) \leq b (d + e + f) < b + d \leq u_{c_{i,2}}(\pi')$ and $u_{c_{j,4}}(\pi) \leq b (d + e + f) < b + d \leq u_{c_{j,4}}(\pi')$. Thus, this is not a 2-stable allocation.

Proof of Lemma 5. Suppose, $\exists s_{i,1}, s_{i,2}$ such that $\pi(s_{i,1}) \in A_{S_k}$ and $\pi(s_{i,2}) \in A_{S_k}$ for some $k \in \{1, 2\}$. Since π is 2-stable, by lemma 1, $\exists s_{j,1}, s_{j,2}$ such that $\pi(s_{j,1}) \in A_{S_{3-k}}$ and $\pi(s_{j,2}) \in A_{S_{3-k}}$. But, $s_{j,1}$ and $s_{i,1}$ form a blocking pair with $\pi \rightarrow_{s_{j,1},s_{i,1}} \pi'$, as $\forall x \in \{1, 2\} \ u_{s_{j,x}}(\pi) \leq b - d < b \leq u_{s_{j,x}}(\pi')$.

Theorem 7. Consider an instance M of the graphical matching problem where the underlying player graph G is a DAG. A core stable allocation is guaranteed to exist in M and it can be computed in polynomial time.

Proof. To compute the allocation, we first do a topological sort of the player graph and assign items in this topological ordering. For each player, we assign the item from amongst the unassigned items which maximizes the player's net utility. If there are multiple such items, we choose an arbitrary item. Let π be a resulting allocation. Suppose π is not core stable. Then, there exists a blocking coalition X with π' and $\mu : X \to X$ such that $\forall x \in X \pi'(x) \neq X$ $\pi(x), \pi'(x) = \pi(\mu(x))$ and $u_x(\pi'(x)) > u_x(\pi(x))$. Let y be the first player from X in the topological ordering. Therefore, $u_y(\pi'(y)) > u_y(\pi(y))$. Note that, since G is a DAG, the utility of y depends only on the items allocated to players before y in the topological order. But, since y is the first player in X to be allocated an item, both $\pi'(y)$ and $\pi(y)$ are available at the time y is allocated an item. Since y chooses the item which maximizes its utility, $u_y(\pi'(y)) > u_y(\pi(y))$ is a contradiction.

Theorem 8. Consider an instance $M = (G, H, (v_i)_{i \in N})$ of the graphical matching problem with uniform valuation. If M satisfies the following conditions, then a 2-stable allocation always exists and it can be computed in polynomial time.

• G is a cycle and $\exists i, j \in N$ such that $(j, i) \in \tau$ and $w_{j,i} > 0$.

• there exists $a \in A$ such that for all $a' \in A - \{a\}$, $(a, a') \in \lambda$.

Proof. Let the players in the cycle, in order, be numbered from 1 to n, and $w_{j-1,j} = c_j \ \forall j \in \{2,3,\ldots,n\}$ and $w_{n,1} = c_1$. Without loss of generality, let the first player be one with a non-negative neighbourhood valuation. That is, $w_{n,1} = c_1$, $c_1 > 0$. We assign the first player an item connected to all of the remaining items. We assign the remaining items in the order $\{2,3,\ldots,n\}$. For each player, we assign the item from amongst the unassigned items which maximizes the player's net utility. If there are multiple such items, we choose an arbitrary item. Let π be a resulting allocation. Suppose, π is not 2-stable. Therefore, $\exists x, y$ such that $\pi \to_{x,y} \pi'$. Without loss of generality, let x be the player assigned an item first. There are two cases:

- x = 1: Since the item valuations are uniform, the only difference in utility is because of the neighbourhood structure. Since $a = \pi(1)$ is connected to each of the items and $w_{n,1} > 0$, $u_1(\pi'(1)) \leq u_1(\pi(1))$. Hence, there is a contradiction.
- $x \neq 1$: Since player x 1 has already been allocated an item, the utility of x is fixed on choosing an item. Since (x, y) is a blocking pair, $u_x(\pi'(x)) > u_x(\pi(x))$. But, when x is allocated an item, both $\pi(x)$ and $\pi'(x)$ are available. Since x chooses the item which maximizes its utility, $u_x(\pi'(x)) > u_x(\pi(x))$ is a contradiction.

Theorem 9. Consider an instance $M = (G, H, (v_i)_{i \in N})$ of the graphical matching problem with uniform valuation. If G is a cycle with positive connection weights w and H is connected and has at least 1 node with degree 1, then a core stable allocation always exists and it can be computed in polynomial time.

Proof. Let the players in the cycle, in order, be numbered from 1 to n. We assign the first player an item with degree at most 1. We assign the remaining items in the order $\{2, 3, ..., n\}$. For each player, we assign the item from amongst the unassigned items which maximizes the player's utility. If there are multiple such items, we choose an arbitrary item. Let π be a resulting allocation. Suppose π is not core stable. Then, there exists a blocking coalition X with π' and $\mu : X \to X$ such that $\forall x \in X \pi'(x) \neq \pi(x), \pi'(x) =$ $\pi(\mu(x))$ and $u_x(\pi'(x)) > u_x(\pi(x))$. Let y be the first player from X in the ordering. Therefore, $u_y(\pi'(y)) > u_y(\pi(y))$. There are two cases:

• y = 1: Since the item valuations are uniform, the only difference in utility is because of the neighbourhood structure. Since $a = \pi(1)$ has degree one, it must be connected to a single item. Since player two is the next player to be allocated an item, and all connection weights are positive, the item connected to $\pi(1)$ (say b) must be allocated to player two. Additionally, since the graph is connected, $\pi(2)(=b)$ must be connected to at least one node other than $\pi(1)$ (say c). Since player three is the next player to be allocated an item, it must be allocated an item c. Since players two and three have

their maximum possible utility under π , and $\pi(1)$ is connected only to $\pi(2)$, there can be no player x such that $\mu(x) = 1$, and $u_x(\pi(1)) > u_x(\pi(x))$. Hence, there is a contradiction.

 y ≠ 1: Since player y − 1 has already been allocated an item, the utility of y is fixed on choosing an item. But, since y is the first player in X to be allocated an item, both π'(y) and π(y) are available at the time y is allocated an item. Since y chooses the item which maximizes its utility, u_y(π'(y)) > u_y(π(y)) is a contradiction.

Theorem 10. For an instance of the graphical matching problem with uniform valuation where the underlying player graph is an unweighted cycle, deciding if there exists an envy-free allocation is NP-complete.

Proof. It is easy to see that the problem is in NP. We show NP-hardness by giving a reduction from the Hamiltonian cycle problem. Consider an instance of the Hamiltonian cycle problem given by the connected graph Q = (T, E). We construct an instance of the graphical matching problem as follows: the item graph $H = (A, \lambda)$ is the graph Q. The player graph is a directed cycle $G = (N, \tau, w)$ where |N| = |T| and for $i \in N$, $i_{\tau} = \{i - 1\}$ where n + 1 = 1 and 1 - 1 = n. The player graph is unweighted, i.e. for all $(i, j) \in \tau$, $w_{i,j} = 1$. We set $v_i(a) = 0$ for all $i \in N$ and $a \in A$.

If there exists a Hamiltonian cycle in Q, we can construct an envy-free allocation as follows. We allocate items to the players from 1 to n in the order given by the Hamiltonian cycle. We now argue that the existence of an envy-free allocation implies the existence of a Hamiltonian cycle in Q. It suffices to show that, in an envy-free allocation π , for all $i \in N, (i-1) \in d_i(\pi)$ (recall that 1-1 = n). If each player is connected to their preceding player in the allocation π , we can simply start from the item allocated to player n, and construct the cycle by adding the edge to the allocation of the preceding player. Let us assume, to the contrary, that there exists some envy-free allocation π such that, for some $i \in N, i-1 \notin d_i(\pi)$. Since the item graph is connected, there must exist some $j \in N$ such that $i - 1 \in d_i(\pi)$. Thus, $u_i(\pi) < u_i(\pi')$ where $\pi'(i) = \pi(j), \pi'(j) = \pi(i)$ and for all $k \in N - \{i, j\}, \pi(k) = \pi'(k)$. Hence, π is not an envy-free allocation which is a contradiction.